




Color Chart Correction - Please follow this for color breaks - updates to chart is in red below.

Design Name: Foxglove Script Bunting - O



- | | | | |
|---|------------------------------|---|-----------------------------|
|  | Bunting Placement Stitch |  | Letter |
|  | Bunting Tack Down |  | Bottom Scallop Placement |
|  | Center Panel Placement |  | Bottom Scallop Tack Down |
|  | Center Panel Tack Down |  | Bottom Scallop Satin Stitch |
|  | Center Panel Satin Stitch |  | Back Panel Tack Down |
|  | Can Placement |  | Button Holes |
|  | Can Tack Down |  | Final Satin Stitch |
|  | 1833 -Heliotrope - Flowers | | |
|  | 1712 -Lilac - Flowers | | |
|  | 1848 -Lime Green - Leaves | | |
|  | 1748 Margarita Lime - Leaves | | |
|  | 1815 Baby Pink - Flower | | |
|  | 1861 Palomino - Flower | | |
|  | 1007 Amber Black - Outlines | | |
|  | 1610 Silver Can - Details | | |
|  | Can Satin Stitch | | |

Thread Order

Stitches: 24,331

File Size: 4.91 by 6.83"

Materials Used:


Tear Away Stabilizer

2 Panels fabric 6x7.5"

Scrap fabric for watering can, bottom scallop and center panel

Ribbon

We used Pellon 806 - Stitch N Tear as the stabilizer. It gives a really clean tear. You can also use wash n gone if you prefer.



1. Stitch bunting placement stitch.



2. For the base, cut two panels of fabric large enough to cover the placement stitch of the bunting (roughly 8 by 6"). Put one panel aside. Adhere one panel to the stabilizer (nice side up) using spray adhesive and or painters tape. Put hoop into machine and stitch tack down. Pull hoop out of machine and trim away excess material VERY closely as shown.





3. Put hoop back into machine and run placement stitch for the vertical center stripe.




4. Pull hoop out of machine and lay fabric panel over placement stitch adhere into place as shown. Put hoop back into machine and run tack down stitch. Then pull hoop out of machine and trim away excess material as shown.





5. Put hoop back into machine. Embroider satin stitch of center panel and then the placement stitch for the can.



6. Pull hoop out of machine and lay down fabric panel to cover can placement stitch. Tape into place. Put hoop back into machine and stitch out tack down.



7. Pull hoop out of machine and trim away excess material as shown.



8. Put hoop back into machine and embroider details for flowers, details of can, satin stitch of can and letter.



9. Next, run placement stitch for bottom panel scallop appliqué.



10. Once complete, pull hoop out of machine lay fabric panel over placement stitch. Tape into place, put hoop back into machine and run tack down. When finished, trim away excess material as shown.



11. Put hoop back into machine and embroider pearl stitch as shown.



12. Once complete, pull hoop out of machine, flip hoop over and adhere back panel fabric with spray adhesive. Put hoop back into machine and run tack down stitch.



13. Once complete, pull hoop out of machine and trim away excess material as shown. Then put hoop back into machine and stitch out button holes and final satin stitch.

